

Tongs



Contents

- 3 1/2"Tongs..... 3
- 4 1/2 "Tongs 3
- 5 1/2"Tongs..... 3
- 7 5/8"Tongs..... 4
- 8 5/8"Tongs..... 4
- 9 5/8"Tongs..... 4
- 10"Tongs..... 4
- 13 5/8"Tongs..... 5
- 14"Tongs..... 5
- 20"Tongs..... 5
- 22"Tongs..... 6
- 26"Tongs..... 6
- 31"Tongs..... 6

3 1/2" Tongs

Size	Max Torque (ft-lbs)	Top Level P/N	Description	Weight (lbs)
3 1/2"	6500	80-350-650-40L-000-30-00	Tong + Lockjaw BU (Compression)	900
3 1/2"	6500	80-350-650-40L-000-3S-00	Tong + Lockjaw BU (Compression), Closed Center	900

4 1/2 " Tongs

Size	Max Torque (ft-lbs)	Top Level P/N	Description	Weight (lbs)
4 1/2 "	6500	80-350-650-000-000-30-00	Tong Only	690
4 1/2 "	8000	80-2001-8	Tong + Single Arm BU (Compression)	1030
4 1/2 "	8000	80-2001-18	Tong + Single Arm BU (Compression), w Dump Valve	1030

5 1/2" Tongs

Size	Max Torque (ft-lbs)	Top Level P/N	Description	Weight (lbs)
5 1/2"	12000	80-550-120-640-000-30-00	Tong + 6.375 BU (Compression)	1850
5 1/2"	17000	80-550-170-62L-000-30-00	Tong + 6.25 Lockjaw BU (Compression)	1600
5 1/2"	18700	80-0420-23	Tong + Lift Section	1150
5 1/2"	18700	80-0421-13	Tong + Clincher 6.250" BU (Compression)	2200
5 1/2"	18700	80-0421-14	Tong + Clincher 6.250" BU (Compression), Closed Center	2200
5 1/2"	18700	80-0421-8	Tong + Cam Style 5.500" BU (Compression)	1750
5 1/2"	18700	80-0421-10	Tong+ Clincer 5.500" BU (Tension)	2350
5 1/2"	25000	80-550-250-620-000-30-00	Tong + 6.25 BU (Compression)	2830
5 1/2"	40000	80-550-400-55D-000-30-00	Tong + 5.5 Lockjaw BU (Compression)	3360

7 5/8" Tongs

Size	Max Torque (ft-lbs)	Top Level P/N	Description	Weight (lbs)
7 5/8"	30000	80-760-300-860-000-30-00	Tong + 8.625 BU (Compression)	3060
7 5/8"	30000	80-760-300-000-111-00-01	Tong Only (Remote)	1600
7 5/8"	30000	80-760-30C-86T-000-50-00	Tong + 8.625 BU (Tension) + ChromeMaster	3470
7 5/8"	30000	80-760-30L-76D-111-6S-00	LockJaw Tong + 7.625 LockJaw BU (Compression)	4040

8 5/8" Tongs

Size	Max Torque (ft-lbs)	Top Level P/N	Description	Weight (lbs)
8 5/8"	25000	80-0609-15	Tong Only	1500
8 5/8"	25000	80-0615-12	Tong + Clincher 7.625" BU (Tension)	2700
8 5/8"	25000	80-0615-14	Tong + Clincher 8.625" BU (Compression)	2700
8 5/8"	25000	80-0615-15	Tong + Clincher 7.625" BU (Tension) + 7.625" Chromemaster	3300
8 5/8"	35000	80-0605-22	Tong + Clincher 8.625" BU (Compression)	2600
8 5/8"	85000	80-860-850-86D-000-30-00	Tong + 8.625 LockJaw BU (Compression)	4500
	85000	80-860-850-000-111-00-01	Tong Only (Remote)	2700

9 5/8" Tongs

Size	Max Torque (ft-lbs)	Top Level P/N	Description	Weight (lbs)
9 5/8"	22000	80-0830-1	Tong + Lift Section + Two Speed Motor	1300

10" Tongs

Size	Max Torque (ft-lbs)	Top Level P/N	Description	Weight (lbs)
10"	40000	80-1040-11	Tong Only	1700

13 5/8" Tongs

Size	Max Torque (ft-lbs)	Top Level P/N	Description	Weight (lbs)
13 5/8"	35000	80-0931-1	Tong Only	1600
13 5/8"	35000	80-0931-7	Tong + Lift Section	1600
13 5/8"	35000	80-0931-14	Tong + Lift Section + Remote Door	1600
13 5/8"	35000	80-0935-4	Tong + Cam Style BU (Compression)	2450

14" Tongs

Size	Max Torque (ft-lbs)	Top Level P/N	Description	Weight (lbs)
14"	50000	80-140-500-000-000-30-00	Tong Only	2220
14"	50000	80-140-500-15L-000-30-00	Tong + 15 Lockjaw BU (Compression)	4280
14"	75000	80-1001-10	Tong + Lift Section	3300
14"	75000	80-1001-29	Tong + Lift Section + Closed Center	3300
14"	75000	80-1001-23	Tong + Lock Jaw BU (Compression)	5850
14"	75000	80-1001-23	Tong + Lock Jaw BU (Compression)	5850
14"	75000	80-1001-10-BHI	Tong + Lift Section, BHI Spec	3300
14"	75000	80-1001-32	Tong + Lock Jaw BU (Tension) , REMOTE	6500
14"	100000	80-140-100-15D-001-30-00	Tong + 15 Lockjaw BU (Compression)	6800
14"	100000	80-140-100-15D-001-3S-S1	Tong+ 15 Lockjaw BU (Compression)	6840
14"	100000	80-140-100-15D-111-7S-00	Tong (Remote)+ 15 Lockjaw BU (Compression)	6890

20" Tongs

Size	Max Torque (ft-lbs)	Top Level P/N	Description	Weight (lbs)
20"	50000	80-1302-2	Tong + Lift Section	3400
20"	50000	80-1310-1	Tong + Lock Jaw BU (Tension)	7335
20"	50000	80-1310-21	Tong + Lock Jaw BU (Tension), Remote	7250

22"Tongs

Size	Max Torque (ft-lbs)	Top Level P/N	Description	Weight (lbs)
22"	150000	80-220-150-23T-001-40-00	Tong + 23 Lockjaw BU (Tension)	12600
22"	150000	80-220-150-23T-111-7S-00	Tong + 23 Lockjaw BU (Tension)	12710

26"Tongs

Size	Max Torque (ft-lbs)	Top Level P/N	Description	Weight (lbs)
26"	60000	80-1903-1	Tong + Lift Section	3900
26"	60000	80-1903-3	Tong + Lift Section + Closed Center	3900

31"Tongs

Size	Max Torque (ft-lbs)	Top Level P/N	Description	Weight (lbs)
31"	80000	80-1402-1	Tong + Lift Section	6800